

Table 6.5. Results of crop processing (ratio and correspondence analysis) per sample with > 50 identifications: Late Bronze Age Feudvar

Unique sample no.		FEU116	FEU123	FEU125	FEU131	FEU14 General deposit	FEU141	FEU142	FEU144	FEU149	FEU157	FEU158 Miscellane ous	FEU191	FEU194	FEU199	FEU204	FEU205	FEU206 General deposit	FEU207	FEU209	FEU212	FEU218	FEU220	FEU221 General deposit	FEU234	FEU238 Miscellan eous	FEU240 General deposit	FEU241	FEU242 Miscellan eous	FEU246	FEU247	FEU252	FEU254	FEU263	FEU268	FEU269 General deposit	FEU273	FEU274	FEU289
Feature type		Pit	House	House	House	Street	Street	Street	Hearth	House	House	Pit	Street	House	House	House	House	House	House	Pit	House	House	House	House	Pit	Pit	Pit	Pit	Pit	Street	Yard	House	Pit	Yard	General deposit	Yard	Yard	Yard	
Ratio 2	<i>Triticum monococcum</i> g/b		48	48	12	8	186	42	52	12	11	118	32	14	64	232	53	2,572	4,234	14	58	58	92	52	48	11	26	1	26	14	16	18	12	16	2	42		2	12
	<i>Triticum monococcum</i>	37	141	141	26	26	440	608	124	268	110	264	147	27	240	565	846	7,260	8,256	1,918	216	190	779	155	78	29	65	52	72	22	51	106	35	48	39	70	39	35	97
	GlumMono/GrainMono	0	0.3	0.3	0.5	0.3	0.4	0.1	0.4	0.04	0.1	0.4	0.2	0.5	0.3	0.4	0.1	0.4	0.5	0.01	0.3	0.3	0.1	0.3	0.6	0.4	0.4	0.02	0.4	0.6	0.3	0.2	0.3	0.3	0.1	0.6	0	0.1	0.1
	Interpretation	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	
Ratio 2	<i>T. monococcum</i> 2 grain																																						
	GlumMono2/GrainMono2																																						
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>Triticum dicoccum</i> g/b			19	2	2					2				4	4		12						8		4	4	44	4	34	2	3	4	4		1		4	8
Ratio 2	<i>Triticum dicoccum</i>		2	2	2		1	2		4	8	6	7		4	9	33	16	51		8		6	5	17	7	9	10	5	1	4	4	3	19	5	4	1	20	
	GlumDicoc/GrainDicoc		-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.8	0		-	-	-	-	-	-	5	-	6	-	-	-	-	-	-	-	-	-	-	
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	SP	P	-	-	-	-	-	-	-	FS	-	FS	-	-	-	-	-	-	-	-	-	
	Ratio 3	<i>Hordeum vulgare</i> rachis						1				4						4		2			1			1													1
<i>Hordeum vulgare vulgare</i>		2	95		12	11	98	87	15	87	39		26	7	27	46	39	12	398		4	1	1	1	23	6	19	15		5	9	22	8		7	14	4	5	15
RachisHord/GrainHord		-	0		-	-	0	0	-	0	0.1		0	-	0	0	0.1	-	0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Interpretation		-	P	-	-	-	P	P	-	P	P	-	P	-	P	P	P	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ratio 2	<i>Triticum spelta</i> g/b																4										2										2		
	<i>Triticum spelta</i>																3										1										-		
	GlumSpelt/GrainSpelt																-									-	-										-		
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ratio 3	<i>T.aestivum/durum</i> rachis												1					1						1	2	2													
	<i>T. aestivum/durum</i>												-					-						-	-	-													
	RachisAest/GrainAest																																						
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ratio 3	<i>cf. Secale cereale</i>	2	4	4	1			2			2					5	2	2	1	1	2	4	2	1	3	1	3	2		1		5		1		4			
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ratio 2	<i>Panicum miliaceum</i>	13				3					7								1		4				2			1	10	6					1		2		
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ratio 4	Weeds	8	76	75	36	9	173	41	17	110	50	3	22	14	68	103	207	118	352	84	59	111	58	17	49	41	57	37	61	24	19	38	13	31	21	23	21	15	33
	Grains	54	242	147	41	40	539	699	139	359	166	270	181	34	271	625	920	7,294	8,707	1,919	234	195	788	162	124	47	100	80	87	36	64	136	47	67	53	89	49	64	113
	Weed/Grain	0.1	0.3	0.5	0.9	0.2	0.3	0.1	0.1	0.3	0.3	0	0.1	0.4	0.3	0.2	0.2	0	0	0	0.3	0.6	0.1	0.1	0.4	0.9	0.6	0.5	0.7	0.7	0.3	0.3	0.5	0.4	0.3	0.4	0.2	0.3	
	Interpretation	P	P	P	E	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	E	P	P	P	P	P	P	P	P	P	P	P	P	
Ratio 5	1) SML A																																						
	1) IBT A LRG + LRG A																																						
	1) SML/LRG WEED A																																						
	Interpretation A1																																						
Ratio 5	2) IBT A SML + SML A																																						
	2) LRG A																																						
	2) SML/LRG WEED A																																						
	Interpretation A2																																						
Ratio 5	3) SML B	4	37	36	24	4	24	26	7																														

Table 6.5. Results of crop processing

Unique sample no.		FEU328	FEU330	FEU333	FEU336	FEU337	FEU338	FEU339	FEU340	FEU341	FEU343	FEU354	FEU356	FEU357	FEU363	FEU364	FEU371	FEU372	FEU375	FEU377	FEU379	FEU381	FEU383	FEU384	FEU386	FEU389	FEU398	FEU419	FEU42	FEU424	FEU426	FEU445	FEU448	FEU449	FEU450	FEU451	FEU453	FEU454	FEU455	FEU463			
Feature type		House	General deposit	General deposit	General deposit	House	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	Street	General deposit	General deposit	Miscellan eous	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit		
Ratio 2	<i>Triticum monococcum</i> g/b	18	58	148	13	54	44	4	46	134	49	16	9	4	12	74	14	5	14	29	42	12	18	12	11	2	17	4	592	22	84	1	3	2	22	56	8	16	12	12			
	<i>Triticum monococcum</i>	3,524	195	444	91	148	218	101	94	285	288	42	64	45	68	176	72	219	99	80	119	26	53	45	100	161	90	22	1,377	58	172	47	58	28	84	92	71	40	29	284			
	GlumMono/GrainMono	0.01	0.3	0.3	0.1	0.4	0.2	0.04	0.5	0.5	0.2	0.4	0.1	0.1	0.2	0.4	0.2	0.02	0.1	0.4	0.4	0.5	0.3	0.3	0.1	0.01	0.2	0.2	0.4	0.4	0.5	0.02	0.1	0.1	0.3	0.6	0.1	0.4	0.4	0.04			
	<i>Interpretation</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>		
Ratio 2	<i>T. monococcum</i> 2 grain																																										
	GlumMono2/GrainMono2																																										
	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>Triticum dicoccum</i> g/b		34	6	8	1				26		14	2	4	2		1	32		2	3	6		2	4	22		52	2	2			2	2	2		1					2	
Ratio 2	<i>Triticum dicoccum</i>		1		6	2	6	14	3	5	2	12	2	1		4	7	1	4	8	9	1	1	8	7	1	18	1	4	2	6	1			2	10					3		
	GlumDicoc/GrainDicoc		33	-	-	-	-	-	8	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>Interpretation</i>	-	<i>FS</i>	-	-	-	-	-	<i>FS</i>	-	-	-	-	-	-	-	<i>FS</i>	-	-	-	-	-	-	-	<i>FS</i>	-	<i>FS</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Hordeum vulgare</i> rachis				1						1	2																								1	3						
Ratio 3	<i>Hordeum vulgare</i> vulgare		1	8	18	48	7	3	10	13	7	20	14	5	16	35	11	16	1	23	24	6	1	18	31	1	36	6	2	15	43	16	24	12	14	21	19	10	11	21			
	RachisHord/GrainHord		-	-	-	0	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	0	-	0	-	0	-	-	-	0	-	-	-	-	-	-	-	-	-	-	
	<i>Interpretation</i>	-	-	-	-	<i>P</i>	-	-	-	-	-	-	-	-	-	-	<i>P</i>	-	-	-	-	-	-	-	<i>P</i>	-	<i>P</i>	-	-	-	<i>P</i>	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Triticum spelta</i> g/b																																				2						
Ratio 2	<i>Triticum spelta</i>																																				-						
	GlumSpelt/GrainSpelt																																										
	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>T.aestivum/durum</i> rachis				1							2						1			4			1				4								2							
Ratio 3	<i>T. aestivum/durum</i>				-						-						-			-			-				-								-								
	RachisAest/GrainAest																																										
	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>cf. Secale cereale</i>	1	4	6		1		3		1	2	2	1	2		4	1	4	1	7	1	1	9	2	1	9	1		1	5		5		2	11	2	16	1	1	4			
Ratio 3	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>Panicum miliaceum</i>				29	5						4										1					46					2			1	33							
	<i>Interpretation</i>	-	-	-	<i>P</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<i>P</i>	-	-	-	-	-	-	-	<i>P</i>	-	-	-	-	-	-		
	Weeds	7	171	101	43	75	63	63	45	117	71	66	50	24	26	30	42	99	27	96	32	32	48	64	21	19	89	20	161	34	48	23	20	8	32	50	37	30	10	43			
Ratio 4	Grains	3,525	201	458	145	205	231	120	108	304	299	81	82	53	84	219	92	240	105	122	153	35	65	73	139	172	191	29	1,384	81	220	70	82	42	112	158	106	51	41	312			
	Weed/Grain	0	0.9	0.2	0.3	0.4	0.3	0.5	0.4	0.4	0.2	0.8	0.6	0.5	0.3	0.1	0.5	0.4	0.3	0.8	0.2	0.9	0.7	0.9	0.2	0.1	0.5	0.7	0.1	0.4	0.2	0.3	0.2	0.3	0.3	0.6	0.2	0.1					
	<i>Interpretation</i>	<i>P</i>	<i>E</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>E</i>	<i>P</i>	<i>E</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>		
	1) SML A																										53																
Ratio 5	1) IBT A LRG + LRG A																										36																
	1) SML/LRG WEED A																																										

Table 6.5. Results of crop processing

Unique sample no.		FEU466	FEU471	FEU472	FEU475	FEU476	FEU486	FEU488	FEU490	FEU491	FEU494	FEU495	FEU496	FEU499	FEU500	FEU507	FEU516	FEU517	FEU60	FEU61	FEU7	FEU82	FEU87	FEU93	FEU325	FEU443	FEU27	FEU1	FEU2	FEU47	FEU59	FEU91	FEU68	FEU156	FEU193	FEU518	FEU67	FEU69	FEU175	FEU18		
Feature type		General deposit	General deposit	General deposit	Street	General deposit	General deposit	General deposit	General deposit	General deposit	Pit	Pit	Pit	General deposit	Pit	General deposit	General deposit	General deposit	General deposit	General deposit	Miscellane-ous	Street	Pit	House	House	General deposit	General deposit	Hearth	Hearth	General deposit	General deposit	Hearth	House	House	Pit	General deposit	House	House	House	Pit		
Ratio 2	<i>Triticum monococcum</i> g/b	8	28	62	22	8	21	84	36	44	58	12	58	2	142	12	28	4	4	2	154	2	7	12	22	18	14		6	4	3	1	36	44	12	16	18		94	2		
	<i>Triticum monococcum</i>	77	81	224	34	58	384	136	586	91	148	166	90	105	229	87	56	210	38	42	258	233	42	49	23	27	27	3	3	3	17	16	13	190	56	13	5	4	21	16		
	GlumMono/GrainMono	0.1	0.3	0.3	0.6	0.1	0.1	0.6	0.1	0.5	0.4	0.1	0.6	0.02	0.6	0.1	0.5	0.02	0.1	0.05	0.6	0.01	0.2	0.2	1.0	0.7	0.5	-	-	-	-	-	2.8	0.2	0.2	1.2	-	-	4.5	-		
<i>Interpretation</i>		<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>SP?</i>	<i>SP?</i>	<i>P</i>	-	-	-	-	-	<i>FS</i>	<i>P</i>	<i>P</i>	<i>SP</i>	-	-	<i>FS</i>	-			
<i>T. monococcum</i> 2 grain																																										
GlumMono2/GrainMono2																																										
<i>Interpretation</i>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ratio 2	<i>Triticum dicoccum</i> g/b		2	3	2	4	8		36	6		1	2	16	24						6	36	12			2	2			2			2		2		2		8	4		
	<i>Triticum dicoccum</i>	5		33	2	6	8	2	30	2	6		3	3	5				1	4		6	7	2	1	1	1	9		1		1	3	5	1	3			4	20		
	GlumDicoc/GrainDicoc	-	-	0.1	-	-	-	-	1.2	-	-	-	-	-	5				-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<i>Interpretation</i>		-	-	<i>P</i>	-	-	-	-	<i>SP</i>	-	-	-	-	-	<i>FS</i>	-	-	-	-	-	-	<i>FS</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ratio 3	<i>Hordeum vulgare</i> rachis			1			3																									1	3	1				1	1			
	<i>Hordeum vulgare</i> vulgare	21	10	44	14	9	36	8	35	23	36	4	16	21	11	20	11	19	5	4	8		19	18		5	14	211	149	2,943	45	21	134	270	186	40	259	44	163	201		
	RachisHord/GrainHord	-	-	0	-	-	0.1	-	0	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	0	-	0	0	0	0	0	0	0	0	0	
<i>Interpretation</i>		-	-	<i>P</i>	-	-	<i>P</i>	-	<i>P</i>	-	<i>P</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	-	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>
Ratio 2	<i>Triticum spelta</i> g/b			4																																				2		
	<i>Triticum spelta</i>																																						1			
	GlumSpelt/GrainSpelt			-																																			-			
<i>Interpretation</i>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ratio 3	<i>T.aestivum/durum</i> rachis				2										2																			1					2			
	<i>T. aestivum/durum</i>				-										-																			-				-				
	RachisAest/GrainAest																																									
<i>Interpretation</i>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Ratio 3	<i>cf. Secale cereale</i>	9	3	2	1	4	36	3	5	12	1	5		1	2	3	2	1	1		3		2		1	4		1		1					1	5			1			
	<i>Interpretation</i>	-	-	-	-	-	<i>P</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	<i>Panicum miliaceum</i>			6		5	1			2				2		21					3		2								6			2		1		197				
<i>Interpretation</i>		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<i>P</i>			
Ratio 4	Weeds	37	35	63	38	25	188	101	93	43	74	135	29	41	152	26	25	20	5	13	49	40	17	5	8	21	3	10	8	33	27	10	133	25	94	25	69	13	141	242		
	Grains	112	94	311	51	81	464	150	656	130	191	176	109	135	247	132	69	231	48	46	278	240	66	68	25	37	50	215	152	2,949	68	39	150	466	246	62	265	48	190	436		
	Weed/Grain	0.3	0.4	0.2	0.7	0.3	0.4	0.7	0.1	0.3	0.4	0.8	0.3	0.3	0.6	0.2	0.4	0.1	0.1	0.3	0.2	0.2	0.3	0.1	0.3	0.6	0.1	0.0	0.1	0	0.4	0.3	0.9	0.1	0.4	0.3	0.3	0.7	0.6			
<i>Interpretation</i>		<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>E</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>			
Ratio 5	1) SML A																											5	3	8	21	0	129	4	87		37	11	118	202		
	1) IBT A LRG + LRG A																											5	5	25	6	10	4	21	7		32	2	23	40		
	1) SML/LRG WEED A																											-	-	0.3	4	-	32	0.2		1.2	-	5				
<i>Interpretation A1</i>																									</																	

Table 6.5. Results of crop processing

Unique sample no.		FEU253	FEU30	FEU29	FEU508	FEU117	FEU177	FEU187	FEU54	FEU83	FEU316	FEU402	FEU13	FEU49	FEU21	FEU143	FEU183	FEU293	FEU505	FEU119	FEU121	FEU150	FEU153	FEU213	FEU245	FEU251	FEU264	FEU271	FEU280	FEU284	FEU326	FEU331	FEU345	FEU392	FEU396	FEU4	FEU45	FEU460	FEU461	FEU481	
Feature type		House	General deposit	General deposit	Container fill	Pit	General deposit	House	General deposit	Hearth	Yard	General deposit	Pit	Pit	Miscellan eous	Street	House	Pit	General deposit	Pit	Pit	Pit	Miscellan eous	General deposit	Pit	Yard	House	House	Pit	Pit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	House	General deposit	General deposit
Ratio 2	Triticum monococcum g/b	3	8	8	6	1	14	2	7	16	28	2	424	92	48	7	4	12	22	13	9	6	8	1	18	1	12	5	14	36	16	3	5	6	14	16	22	1	14		
	Triticum monococcum	13	8	42	10	39	45	32	21	5	98	6	27	17	32	15	16	10	36	59	42	31	20	25	33	29	41	32	75	105	66	65	26	25	60	36	40	136	63	108	
	GlumMono/GrainMono	-	-	0.2	-	0.03	0.3	0.1	0.3	-	0.3	-	15.7	5.4	1.5	-	-	-	0.6	0.2	0.2	0.2	0.4	0.04	0.6	0.03	0.3	0.2	0.2	0.3	0.2	0.05	0.2	0.2	0.2	0	0.4	0.2	0.02	0.1	
	Interpretation	-	-	P	-	P	P	P	P	-	P	-	FS	FS	SP?	-	-	-	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	
Ratio 2	T. monococcum 2 grain						1																																		
	GlumMono2/GrainMono2						-																																		
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Triticum dicoccum g/b	4		6		2	8	2	6	2	5		36	6				2	4	2	12	4		2	22	4			6	2	2	2	4		6	1	2		4		2
Ratio 2	Triticum dicoccum	5	5	7	1	1	6	6	2	1,975	4,543		3	5	4	2		3	1	3	2	3	1		1	3		6	2	2		1		2	7		11	4	4	3	
	GlumDicoc/GrainDicoc	-	-	-	-	-	-	-	-	0.001	0.001		12	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Interpretation	-	-	-	-	-	-	-	-	P	P	-	FS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Hordeum vulgare rachis	1					1		9						3	1						1								1	3					1	2		1		
Ratio 3	Hordeum vulgare vulgare	14	10	49	14	23	61	24	27	2		2	3	16	91	9	7	6	19	15	10	3	2	1	8	1	3	5	6	19	17	3	9	3	15	17	10	76	17	53	
	RachisHord/GrainHord	-	-	0	-	-	0	-	0.3	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	0		
	Interpretation	-	-	P	-	-	P	-	SP	-	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	-	P		
	Triticum spelta g/b		3					2					4																												
Ratio 2	Triticum spelta		-					-					-																												
	GlumSpelt/GrainSpelt																																								
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	T.aestivum/durum rachis					1	2		1												1			7		1															
Ratio 3	T. aestivum/durum					-	-		-						-						-			-	-																
	RachisAest/GrainAest																																								
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	cf. Secale cereale	2			1		1		9					1	177				1	1	2	5		3	2	1		3	2	9	13	9		4		4		25		2	
Ratio 3	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	-	-	
	Panicum miliaceum	2				2	7		1			114	552	101	7		3	4				1			2	1						2	1				1	2			
	Interpretation	-	-	-	-	-	-	-	-	-	-	P	P	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Weeds	19	20	8	14	12	31	19	32	25	2,983	10	40	57	115	21	24	13	60	84	173	50	32	63	58	78	67	52	109	186	153	77	73	27	1,596	122	276	249	685	220	
Ratio 4	Grains	37	26	98	27	67	123	64	60	1,982	4,641	122	585	140	313	26	26	23	58	79	56	43	23	29	47	35	44	46	84	136	97	80	36	35	82	57	61	242	84	166	
	Weed/Grain	0.5	0.8	0.1	0.5	0.2	0.3	0.3	0.5	0.01	0.6	0.1	0	0.4	0.4	0.8	0.9	0.6	1	1.1	3	1.2	1.4	2	1.2	2	2	1.1	1.3	1.4	2	1	2	0.8	19	2	5	1	8	1.3	
	Interpretation	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	E	P	E	E	FS	FS	FS	FS	FS	FS	FS	E	FS	FS	FS	E	FS	P	FS	FS	FS	E	FS	FS	
	1) SML A	13	11	6	1										3	10	12	5																							
Ratio 5	1) IBT A LRG + LRG A	6	9	2	13										112	11	12	8																							
	1) SML/LRG WEED A	-	-	-	-										0.03	-	-	-																							
	Interpretation A1	-	-	-	-										HP	-	-	-																							
	2) IBT A SML + SML A	13	12	6	1										3	11	13	6																							
Ratio 5	2) LRG A	6	8	2	13										112	10	11	7																							
	2) SML/LRG WEED A	-	-	-	-										0.03	-	-	-																							
	Interpretation A2	-	-	-	-										HP	-	-	-																							
	3) SML B	13	11	6	1	7	20	13	18	6	2,91																														

Table 6.5. Results of crop processing

Unique sample no.		FEU482	FEU484	FEU506	FEU176	FEU390	FEU353	FEU485	FEU17	FEU50	FEU19	FEU483	FEU203	FEU346	FEU446	FEU478	FEU122	FEU126	FEU140	FEU146	FEU159	FEU160	FEU166	FEU167	FEU168	FEU173	FEU180	FEU186	FEU189	FEU195	FEU196	FEU214	FEU215	FEU222	FEU235	FEU236	FEU243	FEU244	FEU248	FEU249
Feature type		General deposit	General deposit	General deposit	House	General deposit	General deposit	House	General deposit	Pit	Pit	House	House	General deposit	General deposit	House	Pit	House	Pit	Pit	House	General deposit	House	Hearth	Hearth	House	Hearth	House	House	Hearth	Hearth	General deposit	Pit	House	Miscellane-ous	Miscellane-ous	Miscellane-ous	Pit	Street	House
Ratio 2	<i>Triticum monococcum</i> g/b	19	32	8	18	14	8	32		3	36	46	4	24	48	2	458	394	696	38	168	98	412	476	116	348	88	72	58	498	378	258	656	334	182	152	372	7,618	316	146
	<i>Triticum monococcum</i>	81	82	44	28	29	33	230	13	14	56	181	11	105	113	78	22	21	40	9	64	25	105	29	27	104	17	19	15	127	52	90	70	102	73	55	58	60	18	30
	GlumMono/GrainMono	0.2	0.4	0.2	0.6	0.5	0.2	0.1	-	-	0.6	0.3	-	0.2	0.4	0.03	21.2	19.2	17.4	4.3	2.6	4.0	3.9	16.3	4.3	3.3	5.2	3.8	3.9	3.9	7.2	2.9	9.4	3.3	2.5	2.7	6.4	126.7	17.5	4.9
	Interpretation	P	P	P	P	P	P	P	P	-	-	P?	P	-	P	P	P	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS
Ratio 2	<i>T. monococcum</i> 2 grain																													1		1								
	GlumMono2/GrainMono2																													-		-								
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>Triticum dicoccum</i> g/b			2	4					2		2	4	2	1	2	4	12	8	2	3	4	8			4		6	8	1	24	28	4	4	12	14	76	16	14	4
Ratio 2	<i>Triticum dicoccum</i>	7		1				1	1	1		4		6	5	1	5	1	2		1	1	9	5	3	10		3		4	5	2	10	6	4	1	16	20	6	1
	GlumDicoc/GrainDicoc	-		-	-			-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	12	-	-	-	-	5	0.8	-	-	
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	FS	FS	-	-	-	-	FS	SP	-	-
	<i>Hordeum vulgare</i> rachis	1				1	6	38			2	5	1	1				1	12				1	1		4							3	1			1		3	
Ratio 3	<i>Hordeum vulgare</i> vulgare	65	12	27	6	13	376	1,358	4	18	38	73	9	13	7	21	4	2	1	10	17	5	28	1	6	83	3	14	2	7	4	11	3	10	19	13	20	18	10	8
	RachisHord/GrainHord	0	-	0	-	-	0.02	0.03	-	-	0.1	0.1	-	-	-	-	-	-	-	-	-	-	0	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Interpretation	P	-	P	-	-	P	P	-	-	P	P	-	-	-	-	-	-	-	-	-	-	P	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Triticum spelta</i> g/b										2							2	2				8												2		2	1	8	
Ratio 2	<i>Triticum spelta</i>																																		1		1			
	GlumSpelt/GrainSpelt										-						-	-				-												-		-	-	-		
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>T.aestivum/durum</i> rachis										3								5																		2			
Ratio 3	<i>T. aestivum/durum</i>															1					1										1		1		1	12			1	
	RachisAest/GrainAest									-						-		-			-										-		-	-	-	-	-	-		
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>cf. Secale cereale</i>	11	45	25	1	12	155	368	1		3	378	1		2	31				1		6	4		1	2	1	4		1	2	2	7	1	6	5			5	6
Ratio 2	Interpretation	-	P	P	-	-	P	P				P	-	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Panicum miliaceum</i>		2		1				23	63	534		4						14	1				1				1		4	2		1		6	2		4	2	5
	Interpretation	-	-	-	-	-	-	-	P	P	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Weeds	267	256	102	81	191	3,567	7,522	40	105	529	491	23	100	127	104	26	14	68	13	38	30	129	34	17	116	17	30	13	37	23	37	28	43	61	35	26	7	39	29
Ratio 4	Grains	163	141	97	36	54	564	1,957	42	96	631	636	21	128	127	132	30	24	57	21	83	36	146	36	37	199	21	40	17	144	66	106	93	121	109	78	108	102	42	51
	Weed/Grain	2	2	1.1	2	4	6	4	1	1.1	0.8	0.8	1.1	0.8	1	0.8	0.9	0.6	1.2	0.6	0.5	0.8	0.9	0.9	0.5	0.6	0.8	0.8	0.8	0.3	0.3	0.3	0.4	0.6	0.4	0.2	0.1	0.9	0.6	
	Interpretation	FS	FS	E	FS	FS	FS	FS	E	E	P	P	E	P	E	P	E	P	FS	P	P	P	E	E	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	
	1) SML A						1,769	2,646											103																					
Ratio 5	1) IBT A LRG + LRG A						1,798	4,876											388																					
	1) SML/LRG WEED A						1	0.5											0.3																					
	Interpretation A1						E	HP											HP																					
	2) IBT A SML + SML A						1,773	2,666											111																					
Ratio 5	2) LRG A						1,794	4,8																																

Table 6.5. Results of crop processing

Unique sample no.		FEU26	FEU265	FEU281	FEU283	FEU291	FEU300	FEU302	FEU303	FEU308	FEU309	FEU31	FEU310	FEU311	FEU313	FEU317	FEU319	FEU32	FEU322	FEU323	FEU332	FEU334	FEU34	FEU349	FEU35	FEU351	FEU368	FEU369	FEU374	FEU385	FEU388	FEU39	FEU406	FEU411	FEU414	FEU417	FEU430	FEU438	FEU456	FEU458		
Feature type		General deposit	House	Pit	Pit	Miscellane-ous	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	Pit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	Miscellane-ous	House	General deposit	General deposit	General deposit	General deposit	Street	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit
Ratio 2	<i>Triticum monococcum</i> g/b	74	426	184	248	36	528	64	36	68	258	168	562	114	268	168	454	764	258	34	112	554	1,556	156	42	118	64	358	658	894	582	122	172	246	358	66	242	268	116	68		
	<i>Triticum monococcum</i>	5	45	34	47	10	38	6	10	14	55	24	67	29	49	76	81	36	19	2	37	238	36	17	19	29	11	98	40	176	72	30	67	103	33	27	112	50	41	23		
	GlumMono/GrainMono	13.9	9.5	5.5	5.2	3.7	13.9	10.3	4	4.7	4.7	7.0	8.3	3.9	5.5	2.2	5.6	21.4	13.8	16	3.0	2.3	42.9	9.2	2.2	4.1	6	3.6	16.4	5.1	8.1	4.1	2.6	2.4	10.8	2.5	2.2	5.4	2.8	3.0		
	<i>Interpretation</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>	<i>FS</i>		
Ratio 2	<i>T. monococcum</i> 2 grain																																									
	GlumMono2/GrainMono2																																									
	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>Triticum dicoccum</i> g/b	2	218	2	16	18	14	4			2	12			4	2	6	2	172	2	4	4	136	8	2	6		4				3	14	16	2	2	26	6	28	6	2	
Ratio 2	<i>Triticum dicoccum</i>	2	11		4	7	1	1	1		1	14	11		5	10	2	25	15	1		1	10	2	3	3		23	3		18	11	21	5	6	6	1	3	4	2		
	GlumDicoc/GrainDicoc	-	21	-	-	3	-	-	-	-	0.8	-	-	-	-	-	-	0.1	11	-	-	-	13	-	-	-		0.2	-	-	-	1.3	0.8	-	-	4	-	10	-	-		
	<i>Interpretation</i>	-	<i>FS</i>	-	-	<i>FS</i>	-	-	-	-	-	<i>SP</i>	-	-	-	-	-	<i>P</i>	<i>FS</i>	-	-	-	<i>FS</i>	-	-	-	-	<i>P</i>	-	-	-	<i>FS</i>	<i>SP</i>	-	-	<i>FS</i>	-	<i>FS</i>	-	-		
	<i>Hordeum vulgare</i> rachis		1												1				1				2			1		1			5	7	1	2								
Ratio 3	<i>Hordeum vulgare vulgare</i>	57	29	1	209	6	68	19	5	4	1	14	21	4	21	18	70	2	5	17	7	17	2	1	7	9	3	47	8	39	18	25	21	2	1	8	19	22	18	9		
	RachisHord/GrainHord	0	0	-	0	-	0	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	0	-	0	-	0	0.3	-	-	-	-	-	-	-	-		
	<i>Interpretation</i>	<i>P</i>	<i>P</i>	-	<i>P</i>	-	<i>P</i>	-	-	-	-	-	-	-	-	-	<i>P</i>	-	-	-	-	-	-	-	-	-	-	<i>P</i>	-	<i>P</i>	-	<i>P</i>	<i>SP</i>	-	-	-	-	-	-	-	-	
	<i>Triticum spelta</i> g/b											2				2		6					24								2											
Ratio 2	<i>Triticum spelta</i>																					1																				
	GlumSpelt/GrainSpelt																					21																				
	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<i>FS</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<i>T.aestivum/durum</i> rachis																			1																						
Ratio 3	<i>T. aestivum/durum</i>																															1										
	RachisAest/GrainAest																																									
	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<i>cf. Secale cereale</i>		13	3			1	2	1		1		1		1	6			4	2	4	1	1	5	1	2		1		5	7		5		3	1	1	3	2	8		
Ratio 3	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	<i>Panicum miliaceum</i>	1								4		2				5														1			33		7		4					
	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<i>P</i>	-	-	-	-	-	-	-			
	Weeds	25	27	34	56	19	161	22	16	29	51	25	27	15	50	56	53	121	39	14	31	152	37	21	16	26	10	57	17	291	106	43	44	61	75	19	50	43	48	21		
Ratio 4	Grains	65	98	38	261	22	109	28	17	22	59	55	101	33	76	115	153	63	42	22	48	257	51	25	31	43	14	169	51	221	115	67	147	109	50	43	134	81	65	41		
	Weed/Grain	0.4	0.3	0.9	0.2	0.9	1.5	0.8	0.9	1.3	0.9	0.5	0.3	0.5	0.7	0.5	0.3	2	0.9	0.6	0.6	0.6	0.7	0.8	0.5	0.6	0.7	0.3	0.3	1.3	0.9	0.6	0.3	0.6	2	0.4	0.4	0.5	0.7	0.5		
	<i>Interpretation</i>	<i>P</i>	<i>P</i>	<i>E</i>	<i>P</i>	<i>E</i>	<i>FS</i>	<i>P</i>	<i>E</i>	<i>FS</i>	<i>E</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>FS</i>	<i>E</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>FS</i>	<i>E</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>FS</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>	<i>P</i>		
	1) SML A																																									
Ratio 5	1) IBT A LRG + LRG A																																									
	1) SML/LRG WEED A																																									

Table 6.5. Results of crop processing

Unique sample no.		FEU459	FEU467	FEU473	FEU487	FEU493	FEU503	FEU510	FEU511	FEU515	FEU519	FEU52	FEU56	FEU57	FEU64	FEU74	FEU89	FEU425	FEU65	FEU9	FEU84	FEU217	FEU219	FEU129	FEU20	FEU250	FEU267	FEU288	FEU290	FEU306	FEU318	FEU348	FEU36	FEU376	FEU40	FEU405	FEU422	FEU474	FEU76	FEU78	
Feature type		General deposit	General deposit	General deposit	General deposit	Container fill	House	General deposit	General deposit	General deposit	Container fill	Pit	General deposit	Miscellane-ous	General deposit	House	House	General deposit	General deposit	Pit	House	House	House	House	General deposit	Yard	House	Pit	Pit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	House	House
Ratio 2	Triticum monococcum g/b	82	292	124	772	486	62	576	54	712	248	74	2,522	1,456	92	92	66	1,234	14	82	8	35,244	5,542	22	52	128	38	48	66	192	176	68	56	52	32	72	76	116	46	146	
	Triticum monococcum	28	21	23	206	100	2	24	12	73	90	21	65	236	40	23	9	340	6	31	121	6,036	801	14	33	78	22	49	32	104	99	32	36	28	20	42	37	74	24	77	
	GlumMono/GrainMono	2.9	14.1	5.4	3.8	4.9	31	23.9	4.3	9.8	2.8	3.6	38.9	6.2	2.3	4.0	7.6	3.6	-	2.6	0.1	5.8	6.9	1.6	1.6	1.6	1.7	1.0	2.1	1.8	1.8	2.1	1.6	1.9	1.6	1.7	2.1	1.6	1.9	1.9	
	Interpretation	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	-	FS	P	FS	FS	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP
Ratio 2	T. monococcum 2 grain																																								
	GlumMono2/GrainMono2																																								
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Triticum dicoccum g/b	34		2	6	44		14	8	12	4	162	56	4		1	7	1,476	24	214	1,698		2	8	2	12	8	36		24	6		4		2		14	6			
Ratio 2	Triticum dicoccum			34	11	13		4	3	13	1	4	5	17				24	3	28	133		1		8	17	5	39	4	14	5	4	2		15	7	7	4	3	3	
	GlumDicoc/GrainDicoc	34		0.1	-	3	-	-	-	0.9	-	-	34	3	-	-	-	60	8	8	13		-	-	-	0.7	-	0.9	-	2	-	-	-	-	-	-	-	-	-	-	
	Interpretation	FS	-	P	-	FS	-	-	-	SP	-	-	FS	FS	-	-	-	FS	FS	FS	FS	-	-	-	-	P	-	SP	-	FS	-	-	-	-	-	-	-	-	-	-	
	Hordeum vulgare rachis	1			3	1				1			2	2				3		2			525	15		1											1				
Ratio 3	Hordeum vulgare vulgare	24	3	10	49	2		5	9	33	35	23	16	44	9	4		64	13	18	9	428	118	1	7	1	5	9	53	7	2	5	14	3	20	36	10	8	16	1	
	RachisHord/GrainHord	0	-	-	0.1	-	-	-	-	0	0	-	-	0	-	-	-	0.05	-	-	-	1.2	0.1	-	-	-	-	-	0	-	-	-	-	-	-	0	-	-	-	-	
	Interpretation	P	-	-	P	-	-	-	-	P	P	-	-	P	-	-	-	P	-	-	-	W	P?	-	-	-	-	-	P	-	-	-	-	-	-	P	-	-	-	-	
	Triticum spelta g/b					2							14	2				15										6													
Ratio 2	Triticum spelta												2															1													
	GlumSpelt/GrainSpelt					-							-	-				-																							
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	T.aestivum/durum rachis									2			7	7				45				184	32																		
Ratio 3	T. aestivum/durum					1				1				10				372																						1	
	RachisAest/GrainAest					-				-			-	-				0.1				184	32																-		
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P?	-	-	-	W	W	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	cf. Secale cereale	9		4	16	7		2	1		2		2		2		1	6		16		430	60	1		4		1		1	1		2	1		2	4		1		
Ratio 3	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Panicum miliaceum												89	203	1	1		2	1					1		11			3						1	13			7		
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	P	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Weeds	45	32	21	126	69	2	30	25	74	21	26	132	396	36	39	9	225	19	37	94	2,502	603	14	29	41	9	66	15	32	81	30	16	19	25	52	30	26	27	15	
Ratio 4	Grains	61	24	71	282	123	2	34	27	121	126	49	175	514	50	31	16	806	22	95	264	6,894	980	17	48	111	33	99	92	126	107	41	53	32	57	100	59	87	51	83	
	Weed/Grain	0.7	1.3	0.3	0.4	0.6	-	0.9	0.9	0.6	0.2	0.5	0.8	0.8	0.7	1.3	0.6	0.3	0.9	0.4	0.4	0.4	0.6	0.8	0.6	0.4	0.3	0.7	0.2	0.3	0.8	0.7	0.3	0.6	0.4	0.5	0.5	0.3	0.5	0.2	
	Interpretation	P	FS	P	P	P	-	E	E	P	P	P	P	P	P	P	FS	P	P	E	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P		
Ratio 5	1) SML A																																								
	1) IBT A LRG + LRG A																																								
	1) SML/LRG WEED A																																								
	Interpretation A1																																								
Ratio 5	2) IBT A SML + SML A																																								
	2) LRG A																																								
	2) SML/LRG WEED A																													</											

Table 6.5. Results of crop processing

Unique sample no.		FEU378	FEU380	FEU382	FEU387	FEU400	FEU403	FEU418	FEU423	FEU428	FEU429	FEU432	FEU44	FEU452	FEU462	FEU48	FEU480	FEU489	FEU497	FEU498	FEU504	FEU512	FEU513	FEU520	FEU522	FEU55	FEU58	FEU63	FEU86	FEU92	FEU135	FEU16	FEU165	FEU182	FEU22	FEU255	FEU258	FEU3	FEU329	FEU395	
Feature type		General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	House	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	House	Container fill	House	General deposit	General deposit	General deposit	House	House	General deposit	General deposit	House	Hearth	General deposit	General deposit	General deposit	General deposit	General deposit	House	Container fill
Ratio 2	Triticum monococcum g/b	68	52	78	164	122	388	34	76	34	72	76	32	88	66	28	162	144	42	46	34	34	46	22	28	66	52	34	92	1,634	4	2	4	4	5	2	3	12	5	14	
	Triticum monococcum	66	73	58	107	158	555	47	71	35	99	53	46	106	51	23	242	119	37	54	29	25	35	28	40	45	38	33	98	2,520	12	9	11	2	15	12	19	7	15	10	
	GlumMono/GrainMono	1.0	0.7	1.4	1.5	0.8	0.7	0.7	1.1	1	0.7	1.4	0.7	0.8	1.3	1.2	0.7	1.2	1.1	0.8	1.2	1.4	1.3	0.8	0.7	1.5	1.4	1.0	0.9	0.6	-	-	-	-	-	-	-	-	-	-	
	Interpretation	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	-	-	-	-	-	-	-	-	-	-	-
Ratio 2	T. monococcum 2 grain																																								
	GlumMono2/GrainMono2																																								
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Triticum dicoccum g/b	2		2	1		2		4		14	2			2			12	6	22	26			4	2	4	6	4	4						2	18				8	
Ratio 2	Triticum dicoccum	6	24		1	1	18	1	1	3	5	4	2				8	21	1	3	2	7	1		4	4	3	8	1	3			2	7		7	2		1	1	
	GlumDicoc/GrainDicoc	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		0.6	-	7	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	-	FS	FS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Hordeum vulgare rachis			1										2	1					2												1									
Ratio 3	Hordeum vulgare vulgare	17	6	13	21	37	22	5	13	4	72	1	44	17	12	37	79	56	21	27	8	8	5	6	11	22	33	12	64	1	3	7	1	1	25	3	7	22	5	1	
	RachisHord/GrainHord	-	-	-	-	0	-	-	-	-	0	-	0	-	-	0	0	0	-	0.1	-	-	-	-	-	-	0	-	0	-	-	-	-	0	-	-	-	-	-	-	
	Interpretation	-	-	-	-	P	-	-	-	-	P	-	P	-	-	P	P	P	-	P	-	-	-	-	-	-	P	-	P	-	-	-	-	P	-	-	-	-	-	-	
	Triticum spelta g/b										4							4	2	2				2																	
Ratio 2	Triticum spelta																											2	4												
	GlumSpelt/GrainSpelt																																								
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	T.aestivum/durum rachis																	1																							
Ratio 3	T. aestivum/durum																	2		2						1								2							
	RachisAest/GrainAest																																								
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	cf. Secale cereale	3	1	5	4	7	3	2				1		4	3	2		3	4	1	2		1			1		5	2			2	1		3			5			
Ratio 2	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Panicum miliaceum	2																1		4					2	2	1	1						1			1				
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Weeds	28	32	51	51	111	101	21	28	12	56	43	23	84	48	38	185	123	45	26	20	24	14	20	29	29	12	30	140	33	664	31	649	80	67	36	48	69	76	100	
Ratio 4	Grains	93	104	76	134	203	598	56	85	42	176	59	92	127	66	62	329	203	63	92	42	39	42	33	56	75	75	61	170	2,524	15	19	21	3	52	17	26	30	26	12	
	Weed/Grain	0.3	0.3	0.7	0.4	0.5	0.2	0.4	0.3	0.3	0.3	0.7	0.3	0.7	0.7	0.6	0.6	0.6	0.7	0.3	0.5	0.6	0.3	0.6	0.5	0.4	0.2	0.5	0.8	0	44	2	31	27	1.3	2	2	2	3	8	
	Interpretation	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	
	1) SML A																																								
Ratio 5	1) IBT A LRG + LRG A																																								
	1) SML/LRG WEED A																																								
	Interpretation A1																																								
	2) IBT A SML + SML A																																								
Ratio 5	2) LRG A																																								
	2) SML/LRG WEED A																																								
	Interpretation A2																																								
	3) SML B	18	18	33	36	69	49	9	14	5	32	32	17	15	31	26	141	20	11	10	5	7	8	10	8	28	5	11	129	1	646	31	635	72	54						

Table 6.5. Results of crop processing

Unique sample no.		FEU399	FEU407	FEU43	FEU46	FEU5	FEU509	FEU51	FEU523	FEU524	FEU6	FEU70	FEU71	FEU72	FEU79	FEU94	FEU118	FEU178	FEU188	FEU200	FEU210	FEU237	FEU239	FEU256	FEU259	FEU261	FEU266	FEU275	FEU276	FEU278	FEU279	FEU282	FEU285	FEU296	FEU298	FEU299	FEU301	FEU305	FEU307	FEU312		
Feature type		General deposit	General deposit	Hearth	Hearth	General deposit	General deposit	House	General deposit	General deposit	General deposit	House	House	General deposit	Container fill	Miscellaneous	Pit	House	House	House	General deposit	Pit	Pit	General deposit	Miscellaneous	Miscellaneous	House	Pit	Pit	Container fill	Pit	General deposit	Pit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit		
Ratio 2	Triticum monococcum g/b	9	3	1	2	2	14	2	14	6			2		14	14	126	36	38	72	32	326	82	24	68	28	48	114	216	194	88	232	88	94	52	146	166	72	544	242		
	Triticum monococcum	14	14	11	12	10	6	11	5	16	10	2	10	14	12	3	50	10	18	27	2	79	15	3	7	9	17	40	37	69	18	15	23	15	22	12	6	22	79	101		
	GlumMono/GrainMono	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.5	3.8	2.2	2.7	16	4.1	5.6	9	10.3	3.1	2.9	2.8	5.8	2.8	5.0	15.6	3.8	6.3	2.4	12.2	27.7	3.3	6.9	2.4		
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	
Ratio 2	T. monococcum 2 grain																																									
	GlumMono2/GrainMono2																																									
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	Triticum dicoccum g/b	8	6															4			14		16	4	4	2	1		4	6	4	4	12		-	-		12	1	4	4	18
Ratio 2	Triticum dicoccum	1	1	1	1			1	5				3		3		6	2	1	2		12	6	1	2	5	2		8	3	3	2	2			1	3	1	1	13		
	GlumDicoc/GrainDicoc	-	-	-	-			-	-			-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	FS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	FS	-	
	Hordeum vulgare rachis			2						1								3				1	1								1							1	1			
Ratio 3	Hordeum vulgare vulgare	6	5	4	5	8	14	12	7	10	1	1	14	2	12	8	14	6	15	11	4	12	2	10	4	14	2	14	9	1	3	6	11	36	4	18	68	5	11	24		
	RachisHord/GrainHord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	0	-	-	-		
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	FS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	FS	-	
	Triticum spelta g/b			2																		2					2	2	2											2		
Ratio 2	Triticum spelta																				1																					
	GlumSpelt/GrainSpelt			-																		1						-	-	-										-		
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	T.aestivum/durum rachis														1		2											5			1		1						1			
Ratio 3	T. aestivum/durum																											1												2		
	RachisAest/GrainAest																					-					-	-											-			
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
	cf. Secale cereale	5					14	2	1	3							2	6		1		3	13	1			2	4		3	1	11		2			2	1	8			
Ratio 3	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Panicum miliaceum			2	1			2			3						3	1				3							3		1	13	4				2	1				
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	-	-	-	-	-	-	-	-			
	Weeds	62	193	21	380	117	97	40	23	42	125	48	55	45	126	188	232	85	52	82	26	662	79	27	36	57	60	155	65	126	306	137	65	65	27	101	147	33	201	129		
Ratio 4	Grains	26	21	19	19	18	34	28	17	29	14	3	27	18	27	11	75	25	34	41	6	108	38	15	11	27	22	60	58	75	26	47	40	53	27	33	77	31	114	125		
	Weed/Grain	2	9	1.1	20	7	3	1.4	1.4	1.4	9	16	2	3	5	17	3	3	2	2	4	6	2	2	3	2	3	3	1.1	2	12	3	2	1.2	1	3	2	1.1	2	1		
	Interpretation	FS	FS	E	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	E	FS	FS	FS	FS	FS	FS	E	FS	FS	E	FS		
	1) SML A																																									
Ratio 5	1) IBT A LRG + LRG A																																									
	1) SML/LRG WEED A																																									
	Interpretation A1																																									
	2) IBT A SML + SML A																																									
Ratio 5	2) LRG A																																									
	2) SML/LRG WEED A																																									
	Interpretation A2																																									
	3) SML B	18	108	4	272	117	17	23	2	3	122	41	51	37	9	187	174	33	29	16	11	652	64	14	22	53	39	127	31	84	292	87	59	18	23	82						

Table 6.5. Results of crop processing

Unique sample no.		FEU315	FEU321	FEU327	FEU342	FEU344	FEU347	FEU350	FEU359	FEU362	FEU394	FEU404	FEU408	FEU41	FEU412	FEU413	FEU415	FEU416	FEU431	FEU433	FEU434	FEU435	FEU441	FEU442	FEU444	FEU447	FEU457	FEU469	FEU477	FEU53	FEU62	FEU66	FEU73	FEU75	FEU80	FEU85	FEU88	FEU38	FEU77	FEU257	
Feature type		General deposit	General deposit	General deposit	House	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	Container fill	General deposit	Yard	General deposit	General deposit	General deposit	General deposit	General deposit	House	General deposit	Pit	General deposit	House	House	Hearth	Pit	House	Container fill	General deposit	House	General deposit		
Ratio 2	Triticum monococcum g/b	366	42	114	186	94	52	21,566	152	132	54	212	444	32	94	448	62	56	18	144	74	348	812	228	242	98	46	58	322	34	74	24	62	248	48	36	46	2	1	14	
	Triticum monococcum	61	7	34	27	26	14	1,701	30	51	20	66	106	8	23	71	6	17	8	21	2	93	135	36	57	38	19	11	125	13	27	8	18	27	4	8	14	24	31	6	
	GlumMono/GrainMono	6.0	6.4	3.4	6.8	3.6	3.7	12.7	5.0	2.6	2.6	3.2	4.2	4.2	4.2	6.3	10.6	3.4	2.4	6.9	37.0	3.7	6.0	6.3	4.2	2.6	2.4	5	2.6	2.6	2.8	3.0	3.4	9.1	12.0	4.3	3.4	0.1	0	-	
Interpretation		FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	P	P	-			
T. monococcum 2 grain		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
GlumMono2/GrainMono2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ratio 2	Triticum dicoccum g/b	12		12	4	1	4	2	78	4		6	4		2	6	2		2	4		116	6	1	6	1		4	18	2				2	4		6	2	4		
	Triticum dicoccum	5		1	12	4		1	4	7	1	5	3		1	9		4		3		14	13	9	2	2		2	3	3	2	1		4	2		2	2	1		
	GlumDicoc/GrainDicoc	-	-	-	-	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Interpretation		-	-	-	-	-	-	-	FS	-	-	-	-	-	-	-	-	-	-	-	-	FS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ratio 3	Hordeum vulgare rachis			1	2		1	431	1			5					1					2	11				1		3						1						
	Hordeum vulgare vulgare	19	4	9	9	15	1	271	33	34	9	30	31	6	1	31	7	24	5	7	1	43	52	17	23	8	11	2	59	6	2	8	3	12	3	3	2	7	1	8	
	RachisHord/GrainHord	-	-	-	-	-	-	2	0	0	-	0.2	0	-	-	0	-	0	-	-	-	0	0.2	-	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	-	-	
Interpretation		-	-	-	-	-	-	W	P	-	-	SP	P	-	-	P	-	P	-	-	-	P	SP	-	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-
Ratio 2	Triticum spelta g/b								4										2										2			2									
	Triticum spelta																																								
	GlumSpelt/GrainSpelt																																								
Interpretation		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ratio 3	T.aestivum/durum rachis																																								
	T. aestivum/durum											5										5											2								
	RachisAest/GrainAest											-										-																			
Interpretation		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ratio 3	cf. Secale cereale	7		2		4	10	123	1	8	6	2	3			8	1	3		5	2		24	8	9	3	10		202	2			9		1	3		1	4		
	Interpretation	-	-	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-		
Ratio 2	Panicum miliaceum			2				21	1			6	48			1						1			1				1	1	1	1	5	1					1		
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ratio 4	Weeds	242	24	63	62	542	34	4,120	87	127	57	274	582	111	38	285	47	64	77	119	36	187	420	102	184	101	138	19	737	313	43	54	37	342	144	69	22	42	36	22	
	Grains	92	11	48	48	49	25	2,117	69	100	37	109	197	14	25	118	15	47	12	36	5	156	224	71	92	52	40	15	390	25	31	18	31	51	11	14	18	34	32	21	
	Weed/Grain	3	2	1.3	1.3	11	1.4	2	1.3	1.3	2	3	3	8	2	2	3	1.4	6	3	7	1.2	2	1.4	2	2	3	1.3	2	13	1.4	3	1.2	7	13	5	1.2	1.2	1.1	1	
Interpretation		FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	FS	E	E	
Ratio 5	1) SML A																																								
	1) IBT A LRG + LRG A																																								
Ratio 5	1) SML/LRG WEED A																																								
	Interpretation A1																																								
	2) IBT A SML + SML A																																								
Ratio 5	2) LRG A																																								
	2) SML/LRG WEED A																																								
	Interpretation A2																																								
Ratio 5	3) SML B	229	17	29	18	446	12	801	72	94	23	112	427	110	23	252	40	30	64	87	19	99	54	23	39	87	13	7	331	308	37	40	24	324	134	56	1				

Table 6.5. Results of crop processing

Unique sample no.		FEU262	FEU37	FEU11	FEU120	FEU137	FEU138	FEU15	FEU154	FEU155	FEU162	FEU163	FEU201	FEU352	FEU373	FEU391	FEU410	FEU420	FEU427	FEU436	FEU440	FEU492	FEU514	FEU185	FEU401	FEU439	FEU95	FEU10	FEU113	FEU12	FEU134	FEU136	FEU148	FEU152	FEU164	FEU170	FEU171	FEU184	FEU202	FEU208
Feature type		Miscellan eous	General deposit	Pit	Pit	Pit	Pit	House	House	House	House	House	House	Street	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	Container fill	General deposit	House	General deposit	General deposit	Miscellan eous	Pit	Pit	General deposit	House	Hearth	General deposit	Miscellan eous	House	Pit	Pit	House	House	General deposit
Ratio 2	<i>Triticum monococcum</i> g/b	74	36	54	128	72	198	22	96	96	18	38	46	264	42	44	58	92	22	34	42	132	74	14	24	14	12	34	28	42	76	16	22	36	36	32	38	44	44	34
	<i>Triticum monococcum</i>	29	13	28	66	41	97	13	46	46	11	23	27	128	27	24	30	44	13	18	25	84	39	13	20	7	11	31	18	40	80	16	26	54	29	44	38	41	67	26
	GlumMono/GrainMono	2.5	2.7	1.9	1.9	1.8	2.0	1.6	2.1	2.1	1.6	1.7	1.7	2.1	1.6	1.8	2.0	2.1	1.8	1.9	1.7	1.6	1.9	1.1	1.2	-	-	1.1	1.5	1.1	1.0	1.0	0.9	0.7	1.2	0.7	1.0	1.1	0.7	1.3
	<i>Interpretation</i>	FS	FS	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP?	SP?	-	-	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?
Ratio 2	<i>T. monococcum</i> 2 grain																					1																		
	GlumMono2/GrainMono2																					-																		
	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Triticum dicoccum</i> g/b	12	6	2	18	6	12		8	8	2	4	8	2	58		4	2	4		2	2	2	2	6		2		14		4	4		2	2	6		8	2	
Ratio 2	<i>Triticum dicoccum</i>	4	6		3	4	9		3	3	2	2		4	7	1		10		2	5	3	2	4	1	4		1	3				3	1	1			4		
	GlumDicoc/GrainDicoc	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	FS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Hordeum vulgare</i> rachis				2	2	2						1			1			1			1							1							1				
Ratio 3	<i>Hordeum vulgare</i> vulgare	4	13	10	2	15	22	38	3	3	1	5	27	18		4	1	7	8	8	7	17	11	1	5	11	7	25	6	1		4	5	9	13	9	1	5	12	8
	RachisHord/GrainHord	-	-	-	-	-	-	0	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Interpretation</i>	-	-	-	-	-	-	P	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Triticum spelta</i> g/b						8																						2											
Ratio 2	<i>Triticum spelta</i>																																							
	GlumSpelt/GrainSpelt						-																						-											
	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>T.aestivum/durum</i> rachis																																							
Ratio 3	<i>T. aestivum/durum</i>			1									1																											
	RachisAest/GrainAest			-									-																											
	<i>Interpretation</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	<i>cf. Secale cereale</i>	1			3	4	1		2	2	1		2	3	9	5		10			2	5	2	3			1	1	2		1	1		3	15		5	2	4	
Ratio 2	<i>Panicum miliaceum</i>	2					78	2	1	1	2										1							1	1				1		1	1		5		
	<i>Interpretation</i>	-	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Weeds	43	30	42	107	269	615	89	61	61	33	129	49	271	49	91	69	177	44	86	119	94	55	29	38	19	18	64	59	138	694	200	113	88	77	60	58	240	88	397
	Grains	40	33	40	74	63	208	53	56	56	18	30	56	154	43	35	31	70	20	28	39	110	53	21	26	21	19	59	31	41	81	26	32	68	59	56	39	55	86	38
Ratio 4	Weed/Grain	1.1	0.9	1.1	1.4	4	3	2	1.1	1.1	2	4	0.9	2	1.1	3	2	3	2	3	3	0.9	1	1.4	1.5	0.9	0.9	1.1	2	3	9	8	4	1.3	1.3	1.1	1.5	4	1	10
	<i>Interpretation</i>	E	E	E	FS	FS	FS	FS	E	E	FS	FS	E	FS	E	FS	FS	FS	FS	FS	FS	E	E	FS	FS	E	E	E	FS	FS	FS	FS	FS	FS	FS	E	FS	FS	E	FS
	1) SML A																																							
	1) IBT A LRG + LRG A																																							
Ratio 5	1) SML/LRG WEED A																																							
	<i>Interpretation A1</i>																																							
	2) IBT A SML + SML A																																							
	2) LRG A																																							
Ratio 5	2) SML/LRG WEED A																																							
	<i>Interpretation A2</i>																									</														

Table 6.5. Results of crop processing

Unique sample no.		FEU211	FEU216	FEU23	FEU233	FEU277	FEU320	FEU335	FEU393	FEU397	FEU409	FEU421	FEU464	FEU465	FEU468	FEU479	FEU501	FEU8
Feature type		Pit	House	General deposit	Pit	Container fill	House	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	General deposit	House	General deposit	General deposit	Pit
Ratio 2	<i>Triticum monococcum</i> g/b	14	219	22	16	38	34	76	58	74	84	12	44	14	12	78	66	18
	<i>Triticum monococcum</i>	12	258	26	15	26	23	97	39	55	57	14	57	20	14	63	67	19
	GlumMono/GrainMono	1.2	0.8	0.8	1.1	1.4	1.5	0.8	1.5	1.3	1.5	0.9	0.8	0.7	0.9	1.2	1.0	1.0
	Interpretation	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?	SP?
Ratio 2	<i>T. monococcum</i> 2 grain																	
	GlumMono2/GrainMono2																	
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Triticum dicoccum</i> g/b		2	1		2		6						2	3		2	
Ratio 2	<i>Triticum dicoccum</i>	2	2	2		4	8	2	5	2	1	3	1				2	
	GlumDicoc/GrainDicoc	-	-	-		-	-	-	-	-	-	-	-	-	-		-	
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>Hordeum vulgare</i> rachis						1	7				1				1	1	
Ratio 3	<i>Hordeum vulgare vulgare</i>	7	22	17	8	11	8	14	11	12	13	4	12	12	5	12	58	20
	RachisHord/GrainHord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	-
	<i>Triticum spelta</i> g/b																	
Ratio 2	<i>Triticum spelta</i>																	
	GlumSpelt/GrainSpelt																	
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>T.aestivum/durum</i> rachis							1										
Ratio 3	<i>T. aestivum/durum</i>									1								
	RachisAest/GrainAest							-		-								
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	<i>cf. Secale cereale</i>	2	1	3	2	4	19	4	2	3	2			3		69	49	
Ratio 3	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	P	-
	<i>Panicum miliaceum</i>			1	4	1		7										17
	Interpretation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P
Ratio 4	Weeds	215	326	364	144	73	64	187	62	79	328	33	112	73	124	254	181	84
	Grains	22	283	49	29	45	57	118	64	73	73	21	70	35	19	144	176	56
	Weed/Grain	10	1.2	7	5	2	1.1	2	1	1.1	4	2	2	2	7	2	1	2
	Interpretation	FS	FS	FS	FS	FS	E	FS	E	E	FS	FS	FS	FS	FS	FS	E	FS
Ratio 5	1) SML A																	
	1) IBT A LRG + LRG A																	
	1) SML/LRG WEED A																	
	Interpretation A1																	
Ratio 5	2) IBT A SML + SML A																	
	2) LRG A																	
	2) SML/LRG WEED A																	
	Interpretation A2																	
Ratio 5	3) SML B	142	14	352	138	53	11	105	19	49	200	3	81	52	112	48	65	78
	3) IBT B LRG + LRG B	73	312	12	6	20	53	82	43	30	128	30	31	21	12	206	116	6
	3) SML/LRG WEED B	2	0.04	29	23	3	0.2	1.3	0.4	2	2	0.1	3	2	9	0.2	0.6	13
	Interpretation B3	FS	HP	FS	FS	FS	HP	FS	HP	FS	FS	HP	FS	FS	FS	HP	HP	FS
Ratio 5	4) IBT B SML + SML B	143	14	352	138	54	11	105	19	49	203	4	81	52	112	49	65	78
	4) LRG B	72	312	12	6	19	53	82	43	30	125	29	31	21	12	205	116	6
	4) SML/LRG WEED B	2	0.04	29	23	3	0.2	1.3	0.4	2	2	0.1	3	2	9	0.2	0.6	13
	Interpretation B4	FS	HP	FS	FS	FS	HP	FS	HP	FS	FS	HP	FS	FS	FS	HP	HP	FS
Ratio 6	Total id's	251	830	436	189	158	156	395	184	226	485	67	226	124	158	477	426	158
	Density	25	83	44	19	16	16	40	18	23	49	7	23	12	16	48	43	16
	Interpretation code - Ratio results	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?	USP (E)?
	Interpretation code - After CA	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)	USP (E)
Weed categories (After Jones 1984)																		
SFL	Winnowing	1				1		1								1	1	
BHH	Coarse sieving by-product	1	3					18	1	1		1				10	5	
SHH	Coarse sieving by-product	1						4		1	11		2			2		
SHL	Coarse sieving by-product							1	1								1	
SFH	Fine sieving by-product	141	14	352	138	53	11	99	18	48	195	4	79	52	112	46	63	78
BFH	Fine sieving by-product	70	306	8	4	19	52	63	40	29	73	27	23	20	12	191	101	2
IBT		1	3	4	2		1	1	2		49	1		1		4	10	4